

User manual

Toolbox 2.2 Client-Server Installation

Document history

Version	Comment
Version 1.0	February 2011: version 1.0 of installation notes for server version 1.0.2 of QSAR Toolbox
Version 1.1	July 2011: Updated document for Toolbox server ver. 1.1.0

Issue date: July 2011

Language: English

If you have questions or comments that relate to this document, please send them to ehscont@oecd.org or visit the QSAR Toolbox discussion forum at https://community.oecd.org/community/toolbox_forum

Table of Contents

1	Introduction	4
2	Requirements	4
3	Installed components	4
3.1	Firebird installation	4
3.2	Toolbox Server installation	5

1 Introduction

This document provides a summary description of the installation procedure of the OECD QSAR Toolbox Server (version 1.1.0) set-up kit on a local PC operating Microsoft® Windows®.

2 Requirements

It is recommended to use an up-to-date PC with a processor running at 2GHz or faster, 8 Gigabyte of hard disc space for storage and 2 Gigabyte of RAM to operate. Note: the hard drive's file system should be NTFS as FAT32 only supports file sizes less than 4GB and the Toolbox database is larger than 6GB.

In order to run this installation you will need administrator rights on your local PC. However, once installed, normal user rights will be sufficient for running the application provided that the application has read/write access to the folder that contains the database.

3 Installed components

The following components will be installed on your PC if they are not already available:

- The database manager Firebird.
- The Toolbox Server application

The two components are in effect two distinct setup packages. They can be started using the StartInstall.exe control application located in the root folder of the installation package. Once started it will provide buttons for installing Firebird and the Toolbox Server as well as a link to the server configuration manual.

3.1 Firebird installation

Firebird installation instructions can be found in the main folder of the installation package – FirebirdInstallation.pdf.

3.2 Toolbox Server installation

The Toolbox Server installation is a Windows Installer package that deploys the server application and the database that serves as a repository for Toolbox data, profiling caches etc. The installer wizard asks for a Destination folder – this is where the server application is placed – and Database folder - this is where the database file is to be installed.

Once you have started the installation it will perform a check if Firebird is present. If no such service is present in the system you will be presented with a notification and the installer will continue the installation. You will need to install Firebird before using the server.

The database resides in the setup package as a compressed file. It will be extracted using a windows installer Custom Action. The progress of the decompressing is in a different window (it is another application see figure 1 below).

Note: Do not cancel the decompression. If you do you need to be aware that the decompression application will leave a partial file in the Database Folder that you would have to delete by yourself.




Figure 1



Final notes

1. The Server application does not remove the database file when it is uninstalled. There is no reliable way to establish if a database has “changed” since the Firebird engine opens the file read/write even if the user does not import

databases. It is the responsibility of the user that uninstalls the Toolbox Server to delete the database file.

2. The Toolbox Server uses DCOM for communication with the client applications. DCOM needs to be properly configured in order for the server to work. Please make sure you read the Toolbox 2.2 Client-Server configuration manual.PDF.

OECD

2, rue André Pascal
75775 Paris Cedex 16
France

Tel.: +33 1 45 24 82 00

Fax: +33 1 45 24 85 00

ehscont@oecd.org