OECD-WHO REVIEW OF THE SWISS HEALTH SYSTEM

(Fig. 1.6)

Health expenditure in OECD countries as a percentage of GDP, 2009



Note:
The following series present breaks, years in brackets:

Greece (1999-2007), Portugal (1999-2008), Australia (1999, 2008), Japan (1999-2008), Korea (1999-2006).
Switzerland may overestimate expenditure for long-term care, one component of total health expenditure.
* Information on data for Israel: http://dx.doi.org/10.1787/888932315602.

Source: OECD Health Data 2011.

(Figure 1.9)

Expenditure on promotion and prevention as a share of current health expenditure in OECD countries, 2008



1. Switzerland includes some spending for maternal and child health programmes under out-patient care rather than under prevention and public health.
Source: OECD Health Data 2010.

(Fig. 2.5)

Average LAMal premium burden after the payment of premium-reduction subsidies, as a share of disposable income, for five types of households, in 1998, 2002 and 2007



Source: OFSP (2008), Monitoring 2007.

(Fig. 2.6)

Households' direct payments for health care in OECD countries, 2009



Note: Data for Australia and Japan refer to 2008. Data on OOP per capita refer to 2008 for Portugal, 2007 for Turkey and Austria, and to 2006 for the Netherlands. Data on the share of OOP in final households' consumption refer to 2008 for Austria and to 2007 for Portugal.

OOP: Out-of-pocket.

* Information on data for Israel: http://dx.doi.org/10.1787/888932315602.

Source: OECD Health Data 2011.

(Figure 3.4)



* Information on data for Israel: http://dx.doi.org/10.1787/888932315602.
Source: OECD Health Data 2010.

(Figure 4.2)

Average length of stay for acute care across OECD countries, 2009



1. 2008 data.
2. 2007 data.
3. 2006 data.

* Information on data for Israel: http://dx.doi.org/10.1787/888932315602.

Source: OECD Health Data 2010.

(Fig. 4.3)

Day cases as a proportion of total surgical procedures delivered in hospitals, 2008



1. 2007 data.
2. 2006 data.

* Information on data for Israel: http://dx.doi.org/10.1787/888932315602.

Source: OECD Health Data 2010.