

Unclassified

ENV/JM/MONO(2011)25

Organisation de Coopération et de Développement Économiques
Organisation for Economic Co-operation and Development

17-Aug-2011

English - Or. English

**ENVIRONMENT DIRECTORATE
JOINT MEETING OF THE CHEMICALS COMMITTEE AND
THE WORKING PARTY ON CHEMICALS, PESTICIDES AND BIOTECHNOLOGY**

VALIDATION REPORT FOR THE ACUTE CHIRONOMID ASSAY

Series on Testing and Assessment

No. 144

JT03305942

Document complet disponible sur OLIS dans son format d'origine
Complete document available on OLIS in its original format



**ENV/JM/MONO(2011)25
Unclassified**

English - Or. English

OECD Environment, Health and Safety Publications

Series on Testing and Assessment

No. 144

VALIDATION REPORT FOR THE ACUTE CHIRONOMID ASSAY

IOMC

INTER-ORGANIZATION PROGRAMME FOR THE SOUND MANAGEMENT OF CHEMICALS

A cooperative agreement among **FAO, ILO, UNEP, UNIDO, UNITAR, WHO, World Bank and OECD**

Environment Directorate

ORGANISATION FOR ECONOMIC CO-OPERATION AND DEVELOPMENT

Paris 2011

Also published in the Series on Testing and Assessment:

- No. 1, *Guidance Document for the Development of OECD Guidelines for Testing of Chemicals (1993; reformatted 1995, revised 2006)*
- No. 2, *Detailed Review Paper on Biodegradability Testing (1995)*
- No. 3, *Guidance Document for Aquatic Effects Assessment (1995)*
- No. 4, *Report of the OECD Workshop on Environmental Hazard/Risk Assessment (1995)*
- No. 5, *Report of the SETAC/OECD Workshop on Avian Toxicity Testing (1996)*
- No. 6, *Report of the Final Ring-test of the Daphnia magna Reproduction Test (1997)*
- No. 7, *Guidance Document on Direct Phototransformation of Chemicals in Water (1997)*
- No. 8, *Report of the OECD Workshop on Sharing Information about New Industrial Chemicals Assessment (1997)*
- No. 9, *Guidance Document for the Conduct of Studies of Occupational Exposure to Pesticides during Agricultural Application (1997)*
- No. 10, *Report of the OECD Workshop on Statistical Analysis of Aquatic Toxicity Data (1998)*
- No. 11, *Detailed Review Paper on Aquatic Testing Methods for Pesticides and industrial Chemicals (1998)*
- No. 12, *Detailed Review Document on Classification Systems for Germ Cell Mutagenicity in OECD Member Countries (1998)*
- No. 13, *Detailed Review Document on Classification Systems for Sensitising Substances in OECD Member Countries (1998)*
- No. 14, *Detailed Review Document on Classification Systems for Eye Irritation/Corrosion in OECD Member Countries (1998)*

- No. 15, *Detailed Review Document on Classification Systems for Reproductive Toxicity in OECD Member Countries (1998)*
- No. 16, *Detailed Review Document on Classification Systems for Skin Irritation/Corrosion in OECD Member Countries (1998)*
- No. 17, *Environmental Exposure Assessment Strategies for Existing Industrial Chemicals in OECD Member Countries (1999)*
- No. 18, *Report of the OECD Workshop on Improving the Use of Monitoring Data in the Exposure Assessment of Industrial Chemicals (2000)*
- No. 19, *Guidance Document on the Recognition, Assessment and Use of Clinical Signs as Humane Endpoints for Experimental Animals used in Safety Evaluation (1999)*
- No. 20, *Revised Draft Guidance Document for Neurotoxicity Testing (2004)*
- No. 21, *Detailed Review Paper: Appraisal of Test Methods for Sex Hormone Disrupting Chemicals (2000)*
- No. 22, *Guidance Document for the Performance of Outdoor Monolith Lysimeter Studies (2000)*
- No. 23, *Guidance Document on Aquatic Toxicity Testing of Difficult Substances and Mixtures (2000)*
- No. 24, *Guidance Document on Acute Oral Toxicity Testing (2001)*
- No. 25, *Detailed Review Document on Hazard Classification Systems for Specifics Target Organ Systemic Toxicity Repeated Exposure in OECD Member Countries (2001)*
- No. 26, *Revised Analysis of Responses Received from Member Countries to the Questionnaire on Regulatory Acute Toxicity Data Needs (2001)*
- No. 27, *Guidance Document on the Use of the Harmonised System for the Classification of Chemicals which are Hazardous for the Aquatic Environment (2001)*
- No. 28, *Guidance Document for the Conduct of Skin Absorption Studies (2004)*
- No. 29, *Guidance Document on Transformation/Dissolution of Metals and Metal Compounds in Aqueous Media (2001)*

No 30, *Detailed Review Document on Hazard Classification Systems for Mixtures (2001)*

No 31, *Detailed Review Paper on Non-Genotoxic Carcinogens Detection: The Performance of In-Vitro Cell Transformation Assays (2007)*

No. 32, *Guidance Notes for Analysis and Evaluation of Repeat-Dose Toxicity Studies (2000)*

No. 33, *Harmonised Integrated Classification System for Human Health and Environmental Hazards of Chemical Substances and Mixtures (2001)*

No. 34, *Guidance Document on the Development, Validation and Regulatory Acceptance of New and Updated Internationally Acceptable Test Methods in Hazard Assessment (2005)*

No. 35, *Guidance notes for analysis and evaluation of chronic toxicity and carcinogenicity studies (2002)*

No. 36, *Report of the OECD/UNEP Workshop on the use of Multimedia Models for estimating overall Environmental Persistence and long range Transport in the context of PBTS/POPS Assessment (2002)*

No. 37, *Detailed Review Document on Classification Systems for Substances Which Pose an Aspiration Hazard (2002)*

No. 38, *Detailed Background Review of the Uterotrophic Assay Summary of the Available Literature in Support of the Project of the OECD Task Force on Endocrine Disrupters Testing and Assessment (EDTA) to Standardise and Validate the Uterotrophic Assay (2003)*

No. 39, *Guidance Document on Acute Inhalation Toxicity Testing (in preparation)*

No. 40, *Detailed Review Document on Classification in OECD Member Countries of Substances and Mixtures Which Cause Respiratory Tract Irritation and Corrosion (2003)*

No. 41, *Detailed Review Document on Classification in OECD Member Countries of Substances and Mixtures which in Contact with Water Release Toxic Gases (2003)*

No. 42, *Guidance Document on Reporting Summary Information on Environmental, Occupational and Consumer Exposure (2003)*

- No. 43, *Guidance Document on Mammalian Reproductive Toxicity Testing and Assessment (2008)*
- No. 44, *Description of Selected Key Generic Terms Used in Chemical Hazard/Risk Assessment (2003)*
- No. 45, *Guidance Document on the Use of Multimedia Models for Estimating Overall Environmental Persistence and Long-range Transport (2004)*
- No. 46, *Detailed Review Paper on Amphibian Metamorphosis Assay for the Detection of Thyroid Active Substances (2004)*
- No. 47, *Detailed Review Paper on Fish Screening Assays for the Detection of Endocrine Active Substances (2004)*
- No. 48, *New Chemical Assessment Comparisons and Implications for Work Sharing (2004)*
- No. 49, *Report from the Expert Group on (Quantitative) Structure-Activity Relationships [(Q)SARs] on the Principles for the Validation of (Q)SARs (2004)*
- No. 50, *Report of the OECD/IPCS Workshop on Toxicogenomics (2005)*
- No. 51, *Approaches to Exposure Assessment in OECD Member Countries: Report from the Policy Dialogue on Exposure Assessment in June 2005 (2006)*
- No. 52, *Comparison of emission estimation methods used in Pollutant Release and Transfer Registers (PRTRs) and Emission Scenario Documents (ESDs): Case study of pulp and paper and textile sectors (2006)*
- No. 53, *Guidance Document on Simulated Freshwater Lentic Field Tests (Outdoor Microcosms and Mesocosms) (2006)*
- No. 54, *Current Approaches in the Statistical Analysis of Ecotoxicity Data: A Guidance to Application (2006)*
- No. 55, *Detailed Review Paper on Aquatic Arthropods in Life Cycle Toxicity Tests with an Emphasis on Developmental, Reproductive and Endocrine Disruptive Effects (2006)*
- No. 56, *Guidance Document on the Breakdown of Organic Matter in Litter Bags (2006)*
- No. 57, *Detailed Review Paper on Thyroid Hormone Disruption Assays (2006)*

No. 58, *Report on the Regulatory Uses and Applications in OECD Member Countries of (Quantitative) Structure-Activity Relationship [(Q)SAR] Models in the Assessment of New and Existing Chemicals (2006)*

No. 59, *Report of the Validation of the Updated Test Guideline 407: Repeat Dose 28-Day Oral Toxicity Study in Laboratory Rats (2006)*

No. 60, *Report of the Initial Work Towards the Validation of the 21-Day Fish Screening Assay for the Detection of Endocrine Active Substances (Phase 1A) (2006)*

No. 61, *Report of the Validation of the 21-Day Fish Screening Assay for the Detection of Endocrine Active Substances (Phase 1B) (2006)*

No. 62, *Final OECD Report of the Initial Work Towards the Validation of the Rat Hershberger Assay: Phase-1, Androgenic Response to Testosterone Propionate, and Anti-Androgenic Effects of Flutamide (2006)*

No. 63, *Guidance Document on the Definition of Residue (2006)*

No. 64, *Guidance Document on Overview of Residue Chemistry Studies (2006)*

No. 65, *OECD Report of the Initial Work Towards the Validation of the Rodent Uterotrophic Assay - Phase 1 (2006)*

No. 66, *OECD Report of the Validation of the Rodent Uterotrophic Bioassay: Phase 2. Testing of Potent and Weak Oestrogen Agonists by Multiple Laboratories (2006)*

No. 67, *Additional data supporting the Test Guideline on the Uterotrophic Bioassay in rodents (2007)*

No. 68, *Summary Report of the Uterotrophic Bioassay Peer Review Panel, including Agreement of the Working Group of the National Coordinators of the Test Guidelines Programme on the follow up of this report (2006)*

No. 69, *Guidance Document on the Validation of (Quantitative) Structure-Activity Relationship [(Q)SAR] Models (2007)*

No. 70, *Report on the Preparation of GHS Implementation by the OECD Countries (2007)*

No. 71, *Guidance Document on the Uterotrophic Bioassay - Procedure to Test for Antioestrogenicity (2007)*

- No. 72, *Guidance Document on Pesticide Residue Analytical Methods (2007)*
- No. 73, *Report of the Validation of the Rat Hershberger Assay: Phase 3: Coded Testing of Androgen Agonists, Androgen Antagonists and Negative Reference Chemicals by Multiple Laboratories. Surgical Castrate Model Protocol (2007)*
- No. 74, *Detailed Review Paper for Avian Two-generation Toxicity Testing (2007)*
- No. 75, *Guidance Document on the Honey Bee (Apis Mellifera L.) Brood test Under Semi-field Conditions (2007)*
- No. 76, *Final Report of the Validation of the Amphibian Metamorphosis Assay for the Detection of Thyroid Active Substances: Phase 1 - Optimisation of the Test Protocol (2007)*
- No. 77, *Final Report of the Validation of the Amphibian Metamorphosis Assay: Phase 2 - Multi-chemical Interlaboratory Study (2007)*
- No. 78, *Final Report of the Validation of the 21-day Fish Screening Assay for the Detection of Endocrine Active Substances. Phase 2: Testing Negative Substances (2007)*
- No. 79, *Validation Report of the Full Life-cycle Test with the Harpacticoid Copepods Nitocra Spinipes and Amphiascus Tenuiremis and the Calanoid Copepod Acartia Tonsa - Phase 1 (2007)*
- No. 80, *Guidance on Grouping of Chemicals (2007)*
- No. 81, *Summary Report of the Validation Peer Review for the Updated Test Guideline 407, and Agreement of the Working Group of National Coordinators of the Test Guidelines Programme on the follow-up of this report (2007)*
- No. 82, *Guidance Document on Amphibian Thyroid Histology (2007)*
- No. 83, *Summary Report of the Peer Review Panel on the Stably Transfected Transcriptional Activation Assay for Detecting Estrogenic Activity of Chemicals, and Agreement of the Working Group of the National Coordinators of the Test Guidelines Programme on the Follow-up of this Report (2007)*
- No. 84, *Report on the Workshop on the Application of the GHS Classification Criteria to HPV Chemicals, 5-6 July Bern Switzerland (2007)*

No. 85, *Report of the Validation Peer Review for the Hershberger Bioassay, and Agreement of the Working Group of the National Coordinators of the Test Guidelines Programme on the Follow-up of this Report (2007)*

No. 86, *Report of the OECD Validation of the Rodent Hershberger Bioassay: Phase 2: Testing of Androgen Agonists, Androgen Antagonists and a 5 α -Reductase Inhibitor in Dose Response Studies by Multiple Laboratories (2008)*

No. 87, *Report of the Ring Test and Statistical Analysis of Performance of the Guidance on Transformation/Dissolution of Metals and Metal Compounds in Aqueous Media (Transformation/ Dissolution Protocol) (2008)*

No.88, *Workshop on Integrated Approaches to Testing and Assessment (2008)*

No.89, *Retrospective Performance Assessment of the Test Guideline 426 on Developmental Neurotoxicity (2008)*

No.90, *Background Review Document on the Rodent Hershberger Bioassay (2008)*

No.91, *Report of the Validation of the Amphibian Metamorphosis Assay (Phase 3) (2008)*

No.92, *Report of the Validation Peer Review for the Amphibian Metamorphosis Assay and Agreement of the Working Group of the National Coordinators of the Test Guidelines Programme on the Follow-Up of this Report (2008)*

No.93, *Report of the Validation of an Enhancement of OECD TG 211: Daphnia Magna Reproduction Test (2008)*

No.94, *Report of the Validation Peer Review for the 21-Day Fish Endocrine Screening Assay and Agreement of the Working Group of the National Coordinators of the Test Guidelines Programme on the Follow-up of this Report (2008)*

No.95, *Detailed Review Paper on Fish Life-Cycle Tests (2008)*

No.96, *Guidance Document on Magnitude of Pesticide Residues in Processed Commodities (2008)*

No.97, *Detailed Review Paper on the use of Metabolising Systems for In Vitro Testing of Endocrine Disruptors (2008)*

No. 98, *Considerations Regarding Applicability of the Guidance on Transformation/Dissolution of Metals Compounds in Aqueous Media (Transformation/Dissolution Protocol) (2008)*

- No. 99, *Comparison between OECD Test Guidelines and ISO Standards in the Areas of Ecotoxicology and Health Effects (2008)*
- No.100, *Report of the Second Survey on Available Omics Tools (2009)*
- No.101, *Report of the Workshop on Structural Alerts for the OECD (Q)SAR Application Toolbox, 15-16 May 2008, Utrecht, the Netherlands (2009)*
- No. 102, *Guidance Document for using the OECD (Q)SAR Application Toolbox to Develop Chemical Categories According to the OECD Guidance on Grouping of Chemicals (2009)*
- No. 103, *Detailed Review Paper on Transgenic Rodent Mutation Assays (2009)*
- No. 104, *Performance Assessment: Comparison of 403 and CxT Protocols via Simulation and for Selected Real Data Sets (2009)*
- No. 105, *Report on Biostatistical Performance Assessment of the draft TG 436 Acute Toxic Class Testing Method for Acute Inhalation Toxicity (2009)*
- No. 106, *Guidance Document for Histologic Evaluation of Endocrine and Reproductive Test in Rodents (2009)*
- No. 107, *Preservative treated wood to the environment for wood held in storage after treatment and for wooden commodities that are not cover and are not in contact with ground. (2009)*
- No. 108, *Report of the validation of the Hershberger Bioassay (weanling model) (2009)*
- No. 109, *Literature review on the 21-Day Fish Assay and the Fish Short-Term Reproduction Assay (2009)*
- No. 110, *Report of the validation peer review for the weanling Hershberger Bioassay and agreement of the working of national coordinators of the test guidelines programme on the follow-up of this report (2009)*
- No. 111, *Report of the Expert Consultation to Evaluate an Estrogen Receptor Binding Affinity Model for Hazard Identification (2009)*
- No. 112, *The 2007 OECD List of High Production Volume Chemicals (2009)*

No. 113, *Report of The Focus Session on Current and Forthcoming Approaches for Chemical Safety and Animal Welfare (2010)*

No. 114, *Performance Assessment of Different Cytotoxic and Cytostatic Measures for the In Vitro Micronucleus Test (MNVIT): Summary of results in the collaborative trial (2010)*

No. 115, *Guidance Document on the Weanling Hershberger Bioassay in Rats: A Short-term Screening Assay for (Anti) Androgenic Properties (2009)*

No. 116, *Guidance Document on the Design and Conduct of Chronic Toxicity and Carcinogenicity Studies, Supporting TG 451, 452 and 453 (2010)*

No. 117, *Guidance Document 117 on the Current Implementation of Internal Triggers in Test Guideline 443 for an Extended One Generation Reproductive Toxicity Study, in the United States and Canada (2011)*

No. 118, *Workshop Report on OECD Countries Activities Regarding Testing, Assessment and Management of Endocrine Disruptors Part I and Part II (2010)*

No. 119, *Classification and Labelling of chemicals according to the UN Globally Harmonized System: Outcome of the Analysis of Classification of Selected Chemicals listed in Annex III of the Rotterdam Convention (2010)*

No. 120, *Part 1: Report of the Expert Consultation on Scientific and Regulatory Evaluation of Organic Chemistry Mechanism-based Structural Alerts for the Identification of DNA Binding Chemicals*

No. 120, *Part 2: Report of the Expert Consultation on Scientific and Regulatory Evaluation of Organic Chemistry Mechanism-based Structural Alerts for the Identification of DNA Binding Chemicals*

No. 121, *Detailed review paper (DRP) on Molluscs life-cycle Toxicity Testing (2010)*

No. 122, *Guidance Document on the determination of the Toxicity of a Test Chemical to the Dung Beetle *Aphodius Constans* (2010)*

No. 123, *Guidance Document on the Diagnosis of Endocrine-related Histopathology in Fish Gonads (2010)*

No. 124, *Guidance for the Derivation of an Acute Reference Dose (2010)*

No.125, *Guidance Document on Histopathology for Inhalation Toxicity Studies, Supporting TG 412 (Subacute Inhalation Toxicity: 28-Day) and TG 413 (Subchronic Inhalation Toxicity: 90-Day) (2010)*

No.126, *Short Guidance on the Threshold approach for Acute Fish Toxicity (2010)*

No.127, *Peer review report of the validation of the 21-day androgenised female stickleback screening assay (2010)*

No.128, *Validation Report of the 21-day Androgenised Female Stickleback Screening Assay (2010)*

No.129, *Guidance Document on using Cytotoxicity Tests to Estimate Starting Doses for Acute Oral Systemic Toxicity Tests*

No.131, *Report of the Test Method Validation of Avian Acute Oral Toxicity Test (OECD test guideline 223) (2010)*

No.132, *Report of the Multi-Laboratory Validation of the H295R Steroidogenesis Assay to Identify Modulators (2010)*

No.133, *Peer Review Report for the H295R Cell-Based Assay for Steroidogenesis (2010)*

No.134, *Report of the Validation of a Soil Bioaccumulation Test with Terrestrial Oligochaetes by an International ring test (2010)*

No.135, *Detailed Review Paper on Environmental Endocrine Disruptor Screening: The use of Estrogen and Androgen Receptor Binding and Transactivation Assays in Fish (2010)*

No.136, *Validation Report of The Chironomid Full Life-Cycle Toxicity Test (2010)*

No.137, *Explanatory Background Document to the OECD Test Guideline On In Vitro Skin Irritation Testing (2010)*

No.138, *Report of the Workshop on Using Mechanistic Information in Forming Chemical Categories (2011)*

No.139, *Report of the Expert Consultation on Scientific and Regulatory Evaluation of Organic Chemistry Mechanism Based Structural Alerts for the Identification of Protein-binding Chemicals (2011)*

No.140, *Report of the WHO/OECD/ILSI (Hesi) Workshop on Risk Assessment of Combined Exposures to Multiple Chemicals (2011)*

No. 141, *Report of the Phase 1 of the Validation of the Fish Sexual Development Test for the Detection of Endocrine Active Substances (2011)*

No. 142, *Report of the Phase 2 of the Validation of the Fish Sexual Development Test for the Detection of Endocrine Active Substances (2011)*

No. 143, *Peer Review Report for the Validation of the Fish Sexual Development Test and Agreement of the Working Group of National Co-ordinators of the Test Guideline Programme on the Follow-up of the Peer Review (2011)*

No. 144, *Validation Report for the acute Chironomid Assay (2011)*

© OECD 2011

Applications for permission to reproduce or translate all or part of this material should be made to: Head of Publications Service,
RIGHTS@oecd.org. OECD, 2 rue André-Pascal, 75775 Paris Cedex
16, France

ABOUT THE OECD

The Organisation for Economic Co-operation and Development (OECD) is an intergovernmental organisation in which representatives of 34 industrialised countries in North and South America, Europe and the Asia and Pacific region, as well as the European Commission, meet to co-ordinate and harmonise policies, discuss issues of mutual concern, and work together to respond to international problems. Most of the OECD's work is carried out by more than 200 specialised committees and working groups composed of member country delegates. Observers from several countries with special status at the OECD, and from interested international organisations, attend many of the OECD's workshops and other meetings. Committees and working groups are served by the OECD Secretariat, located in Paris, France, which is organised into directorates and divisions.

The Environment, Health and Safety Division publishes free-of-charge documents in ten different series: **Testing and Assessment; Good Laboratory Practice and Compliance Monitoring; Pesticides and Biocides; Risk Management; Harmonisation of Regulatory Oversight in Biotechnology; Safety of Novel Foods and Feeds; Chemical Accidents; Pollutant Release and Transfer Registers; Emission Scenario Documents; and Safety of Manufactured Nanomaterials.** More information about the Environment, Health and Safety Programme and EHS publications is available on the OECD's World Wide Web site (www.oecd.org/ehs/).

This publication was developed in the IOMC context. The contents do not necessarily reflect the views or stated policies of individual IOMC Participating Organisations.

The Inter-Organisation Programme for the Sound Management of Chemicals (IOMC) was established in 1995 following recommendations made by the 1992 UN Conference on Environment and Development to strengthen co-operation and increase international co-ordination in the field of chemical safety. The Participating Organisations are FAO, ILO, UNEP, UNIDO, UNITAR, WHO, World Bank and OECD. UNDP is an observer. The purpose of the IOMC is to promote co-ordination of the policies and activities pursued by the Participating Organisations, jointly or separately, to achieve the sound management of chemicals in relation to human health and the environment.

This publication is available electronically, at no charge.

**For this and many other Environment,
Health and Safety publications, consult the OECD's
World Wide Web site (www.oecd.org/ehs/)**

or contact:

**OECD Environment Directorate,
Environment, Health and Safety Division
2 rue André-Pascal
75775 Paris Cedex 16
France**

Fax: (33-1) 44 30 61 80

E-mail: ehscont@oecd.org

FOREWORD

This document presents the ring test report supporting the Test Guideline for the *Chironomus* SP. Acute Immobilisation Test. The ring test was performed in 2010-2011. The validation report was submitted by Germany. It was endorsed by the Working Group of National Coordinators of the Test Guidelines Programme at its meeting held on 12-14 April 2011. The Joint Meeting of the Chemicals Committee and Working Party on Chemicals, Pesticides and Biotechnology (Joint Meeting) agreed to its declassification on 5 August 2011.

This document is published under the responsibility of the Joint Meeting.

**VALIDATION REPORT SUPPORTING THE DRAFT TEST GUIDELINE FOR THE
CHIRONOMUS SP., ACUTE IMMOBILISATION TEST**



Lennart Weltje

BASF SE, Crop Protection – Ecotoxicology
Speyerer-Strasse 2
D-67117 Limburgerhof
Germany

March 2nd, 2011

INTRODUCTION

At the end of 2010 and beginning of 2011 a ring test with 14 participating laboratories was conducted on basis of the draft OECD TG “*Chironomus* sp., Acute Immobilisation Test” version of October 8, 2010. Participating laboratories came from The Netherlands, Germany, Switzerland, France and the UK.

Participating laboratories were provided with the draft Test Guideline, an Excel sheet to enter their raw data in and an approximate value for the 48-h EC50 of the two reference substances to guide their choice of test concentrations.

The selected test substances were potassium chloride (KCl) as an inorganic chemical and 3,5-dichlorophenol (3,5-DCP) as an organic chemical. Both chemicals have been used previously as reference toxicants.

In addition, laboratories were requested to provide analytical measurements of at least the lowest and highest test concentration of 3,5-DCP. Information on the analytical method used during the validation exercise of the ring test copepod reproduction test was provided, but laboratories were free to choose any available in-house method to quantify 3,5-DCP in water.

Laboratories used larvae from their own in-house chironomid cultures, their own test medium (culture water) and their own test chemicals. Therefore, the ring test described in this report is a real robust test of the protocol and not optimized to produce identical values by standardizing the organism strain, the analytical method, a single batch of chemicals etc.

Calculations

All data were entered into the software program ToxRat 2.10 (ToxRat Solutions GmbH, Naheweg 15, D-52477 Alsdorf, Germany. www.toxrat-solutions.de) and subjected to probit analysis to determine the EC50 values after 24 and 48 h. In case of control mortality Abbott’s correction was performed. The NOEC was calculated with Fisher’s exact test with Bonferroni correction and $\alpha = 0.05$.

The 24-h and 48-h EC50 values were subjected to an outlier test according to Grubbs (significance level 0.05) by using the GraphPad online calculator (www.graphpad.com/quickcalcs/Grubbs1.cfm).

RESULTS

Table 1: Oxygen, pH and temperature data for the tests on 3,5-DCP

Lab No.	Physical-chemical parameters					
	pH		oxygen [mg/L]		temperature [°C]	
	t0	t48	t0	t48	t0	t48
1	7.9 - 8.0	8.0 - 8.1	8.3	8.3 - 8.4	20.5 - 20.9	20.4 - 20.7
2	7.7	8.1	8.4	9.02	19.8	20.4
3	7.7 - 7.8	7.9	9.1 - 9.2	8.9 - 9.1	18.6 - 18.9	19.5 - 20.0
4-1	7.7	7.9	8.3	8.6	21	--
4-2	7.7	7.9	8.3	8.6	21	--
5	7.8 - 8.0	8.2 - 8.3	9.1	9.0 - 9.3	20.0 - 20.6	18.5 - 19.0
6	7.78	7.99	8.5	9.1	21	21
7	7.2 - 8.2		8.7 - 8.9		19.9 - 21.4	
8	7.47 - 7.54	8.09 - 8.25	8.67 - 8.77	8.75 - 8.90	21.6 - 21.7	21.6 - 21.9
9	7.55 - 7.79	7.96 - 8.01	8.71 - 9.91	8.58 - 9.05	20.7 - 21.9	20.3 - 21.7
10	7.6 - 7.7	7.9	9.0 - 9.1	8.9 - 9.0	19.9 - 20.8	
11	7.69 - 7.80	7.89 - 7.98	8.23 - 8.44	7.88 - 8.19	21.1 - 21.2	19.6 - 20.2
12	7.8 - 7.9	8.2 - 8.3	8.3 - 8.4	#	20.1 - 20.3	18.4 - 19.0
13*						
14	7.88 - 7.98	7.92 - 7.99	8.6 - 8.7	8.8 - 8.9	21.2 - 21.3	20.3 - 20.4

* no test with 3,5-DCP was conducted

no measurement due to probe malfunction

Table 2: pH and temperature data for the tests on KCl

Lab No.	Physical-chemical parameters					
	pH		oxygen [mg/L]		temperature [°C]	
	t0	t48	t0	t48	t0	t48
1	7.9	7.9 - 8.0	8.3	8.3	20.5 - 20.9	20.6
2	7.7	8.1	8.8	9.1	19.7	20.5
3	7.7	7.8 - 7.9	9.3 - 9.4	8.6 - 9.2	18.2 - 18.6	19.8 - 20.1
4	7.6	7.8	8.5	8.7	20.2	20.6
5	7.9 - 8.0	8.2 - 8.3	9.0 - 9.1	8.8 - 8.84	20.0 - 20.2	19.0 - 19.2 ¹
6	7.3	8.2	8.5	8.84	19.0	21.0
7-1	7.7 - 8.3	7.2 - 7.3	8.3 - 8.4	8.2 - 8.4	20 ± 2	
7-2	7.1 - 8.3	7.1 - 7.6	8.3 - 8.4	8.0 - 8.2	21 ± 2	
7-3	7.1 - 8.3	6.8 - 7.0	7.2 - 8.2	8.7 - 8.8	20.4 - 21.3	
8	7.61 - 8.14	7.90 - 8.19	8.46 - 8.88	8.47 - 8.88	21.4 - 21.9	20.9 - 21.8
9	7.46 - 7.58	8.01 - 8.04	8.73 - 9.88	8.42 - 8.65	21.4 - 21.9	21.3 - 21.9
10	7.5 - 7.7	7.8 - 8.1	9.0 - 9.3	8.9 - 9.0	19.9 - 21.0	
11	7.72 - 7.76	7.82 - 7.92	8.10 - 8.33	7.62 - 8.16	21.2 - 21.4	19.7 - 20.1
12	7.9	8.1 - 8.2	7.5	8.0 - 8.2	19.5	19.5
13	8.22 - 8.51	8.02 - 8.47	8.7 - 9.1	6.9 - 7.9	19.3 - 20.4	19.8 - 20.3

¹ original data mentioned 9.2°C but that was an obvious typo and corrected to 19.2°C

Table 3: Analytical measurements of 3,5-DCP

Lab No.	RECOVERY [%]			
	absolute minimum	absolute maximum	mean	sd
1	98,6	104,0	102,0	2,4
2	86,0	117,4	98,8	7,1
3	84,8	109,3	92,2	11,5
4-1	150,5	171,8	161,1 ¹	9,8
4-2	92,7	105,7	100,3	5,5
5	85,0	122,1	102,3	9,5
6	97,0	128,0	114,0	12,7
7	81,6	108,6	97,6	10,1
8#	--	--	--	--
9	93,0	107,0	99,5	5,7
10	88,5	104,0	97,5	4,4
11	79,2	90,0	85,6	4,5
12#	--	--	--	--
13*				
14	100,3	107,2	103,0	2,0

* no test with 3,5-DCP was conducted

test conducted without analytical measurements ¹ value used to correct the EC50

Table 4: 24-h NOEC and EC50 with 95% confidence interval for 3,5-DCP

Lab No.	EC50 [mg/L]	upper 95%-cl	lower 95%-cl	NOEC [mg/L]
1 ²	3,256	n.d.	n.d.	2,07
2	2,299	n.d.	n.d.	2
3	2,711	n.d.	n.d.	1,25
4-1#	0,77	1,079	0,478	< 0,419
4-2	0,863	1,264	0,55	0,26
5	1,98	2,665	1,484	0,34
6	2,198	n.d.	n.d.	0,91
7	2,31	2,609	2,043	1,34
8	5,739	n.d.	n.d.	4
9	2,196	2,664	1,817	1
10	4,424	n.d.	n.d.	2,2
11	1,37	n.d.	n.d.	1,25 ³
12	2,299 ¹	n.d.	n.d.	2 ¹
13*				
14	3,685	4,932	2,985	2,4

* no test with 3,5-DCP was conducted

results corrected for 161% recovery

¹ test not valid (control immobility 0% after 24 and 65% after 48 h)

² 10 instead of 5 larvae per replicate

³ significant effect at the lowest concentration of 0.165 mg/L, but no significant effects up to and incl. 1.25 mg/L

Table 5: 48-h NOEC and EC50 with 95% confidence interval for 3,5-DCP

Lab No.	EC50 [mg/L]	upper 95%-cl	lower 95%-cl	NOEC [mg/L]
1 ²	1,63	1,932	1,374	0,43
2	2,045	n.d.	n.d.	2
3	1,673	1,885	1,489	1,25
4-1#	0,578	0,823	0,320	< 0,419
4-2	0,517	0,723	0,326	0,26
5	0,627	0,797	0,478	0,34
6	0,925	2,735	0,254	0,91
7	1,77	n.d.	n.d.	1,34
8	3,857	n.d.	n.d.	1
9	1,794	2,134	1,507	2
10	3,128	3,53	2,779	2,2
11	0,935	n.d.	n.d.	1,25 ³
12	2,054 ¹	n.d.	n.d.	2 ¹
13*				
14	2,253	15,849	0,61	1,2

* no test with 3,5-DCP was conducted

results corrected for 161% recovery

¹ test not valid (control immobility 0% after 24 and 65% after 48 h)

² 10 instead of 5 larvae per replicate

³ significant effect at the lowest concentration of 0.165 mg/L, but no significant effects up to and incl. 1.25 mg/L

Table 6: Outlier test after Grubbs on 48-h EC50 values for 3,5-DCP (the same results were obtained with 24-h EC50 values)

Descriptive Statistics

Mean: 1.69900

SD: 0.97100

of values: 14

Outlier detected? No

Significance level: 0.05 (two-sided)

Critical value of Z: 2.50732144944

Result outlier test

Lab No.	EC50	Z	Significant Outlier?
1	1.630	0.07106	
2	2.045	0.35633	
3	1.673	0.02678	
4-1	0.578	1.15448	
4-2	0.517	1.21730	
5	0.627	1.10402	
6	0.925	0.79712	
7	1.770	0.07312	
8	3.857	2.22246	Furthest from the rest, but no significant outlier ($P > 0.05$).
9	1.794	0.09784	
10	3.128	1.47168	
11	0.935	0.78682	
12	2.054 ¹	0.36560	
14	2.253	0.57055	

¹ test not valid (control immobility 0% after 24 and 65% after 48 h)

Table 7: 24-h NOEC and EC50 with 95% confidence interval for KCl

Lab No.	EC50 [g/L]	upper 95%-cl	lower 95%-cl	NOEC [g/L]
1 [#]	2,16	3,734	1,251	0,43
2	12,196*	106,215	5,031	2,2
3	3,149	n.d.	n.d.	0,625
4	4,934	n.d.	n.d.	0,26
5	1,529	n.d.	n.d.	0,47
6	2,816	n.d.	n.d.	0,68
7-1	4,107	4,676	3,608	0,878
7-2	3,802	4,278	3,416	4
7-3	2,554	3,55	2,107	2,14
8	5,938	n.d.	n.d.	3
9	2,842	3,487	2,362	2
10	2,209	5,182	0,961	2,2
11	1,548	6,699	0,476	0,63
12	3,511	n.d.	n.d.	3,2
13	3,204	4,57	2,548	2
14	2	n.d.	n.d.	1

* significant outlier

[#] 10 instead of 5 larvae per replicate**Table 8: 48-h NOEC and EC50 with 95% confidence interval for KCl**

Lab No.	EC50 [g/L]	upper 95%-cl	lower 95%-cl	NOEC [g/L]
1 [#]	1,099	1,279	0,943	0,43
2	4,664*	10,966	2,737	2,2
3	1,116	1,396	0,891	0,625
4	2,026	3,651	1,303	0,26
5	0,852	1,095	0,661	0,47
6	0,897	1,173	0,685	0,68
7-1	1,438	1,648	1,24	0,878
7-2	1,452	1,622	1,299	1,185
7-3	1,272	n.d.	n.d.	n.d.
8	1,87	2,314	1,513	0,75
9	2,185	n.d.	n.d.	2
10	1,851	4,096	0,827	1
11	0,33	1,047	n.d.	< 0,16
12	1,554	n.d.	n.d.	0,8
13	1,442	4,468	0,628	1
14	1,165	n.d.	n.d.	1

* significant outlier (see Table 9)

[#] 10 instead of 5 larvae per replicate

Table 9: Outlier test after Grubbs on 48-h EC50 values for KCl (the same results were obtained with 24-h EC50 values)**Descriptive Statistics**

Mean: 1.57581

SD: 0.95087

of values: 16

Outlier detected? Yes

Significance level: 0.05 (two-sided)

Critical value of Z: 2.58567582497

Result outlier test

Lab No.	EC50	Z	Significant Outlier?
1	1.099	0.50145	
2	4.664	3.24776	Significant outlier. P < 0.05
3	1.116	0.48357	
4	2.026	0.47345	
5	0.852	0.76121	
6	0.897	0.71389	
7	1.438	0.14493	
8	1.452	0.13021	
9	1.272	0.31951	
10	1.870	0.30939	
11	2.185	0.64066	
12	1.851	0.28941	
13	0.330	1.31018	
14	1.554	0.02294	
15	1.442	0.14073	
16	1.165	0.43204	

DISCUSSION

Validity criteria

The participating labs had no problems in maintaining the oxygen validity criterion (minimum 3 mg/L) see Tables 1 and 2.

There were however, a few problems with the control immobility. Only one of the submitted data sets was invalid (Table 5), but a few participants communicated that they had submitted only the repeat studies as the first studies were invalid. In any case, based on the data of the ring test and the experience of the participating labs, it seems appropriate to lower the validity criterion from the originally proposed 20% to 15%.

Temperature and pH

The pH values were well within the limits proposed in the draft TG and did not appear to be an issue (see Tables 1 and 2).

The only temperature deviation from the draft TG recommendations to stay within $\pm 1^\circ\text{C}$ and between 18 and 22°C for each individual test was for KCl in tests 7-1 and 7-2 where the data mentioned $20 \pm 2^\circ\text{C}$ and $21 \pm 2^\circ\text{C}$, respectively (Table 2).

Analytical measurements

The chemical analysis of 3,5-DCP in the test medium at $t=0$ and $t=48$ h showed a very good reproducibility and an excellent spiking by the participating laboratories, with mean recovery values between 85.6% and 114% of nominal concentrations (Table 3) with one exception (see below). These excellent recovery values were achieved with largely independent methods, since it was explicitly decided not to validate the analytical part of the test protocol and also not to perform the chemical analysis in one central laboratory. Information on an analytical method used in the OECD copepod ring test was provided, but laboratories were free to use this methods or any available in-house method to quantify 3,5-DCP.

Due to the high recoveries close to the target concentrations, the toxicity data were evaluated based on nominal concentration values. Only in one case the mean recovery was 161% of nominal concentrations (test 4-1, Table 5) and it was decided to correct the obtained EC50 for this higher recovery. Thereafter, the results were in excellent agreement with the repeat test (4-2) from that same laboratory.

For KCl no analytical support was required, as it is a soluble and stable compound. As a consequence, a correction of nominal values for analytical recoveries is not possible.

Toxicity results

The mean, minimum and maximum 24-h and 48-h EC50 values, excluding the outlier for KCl (lab 2) and the invalid test with 3,5-DCP (lab 12) are summarized in Table 10.

It should be noted that the invalid 3,5-DCP test produced 24-h and 48-h EC50 values that fitted well within the range and were clearly no outliers (see Table 6), but the EC50 calculation program ToxRat did not take the control response into account. Therefore, these values were excluded from Table 10.

Table 10: Summary results of the obtained EC50 values for 3,5-DCP (in mg/L) and KCl (in g/L)

Test substance (exposure duration)	EC50mean	EC50min	EC50max	SD (n)
3,5-DCP (24 h)	2.600	0.770	5.739	1.401 (13)
3,5-DCP (48 h)	1.672	0.517	3.857	1.005 (13)
KCl (24 h)	3.087	1.529	5.938	1.234 (15)
KCl (48 h)	1.370	0.330	2.185	0.492 (15)

The span of the valid EC50 values (i.e. the EC50max divided by the EC50min) was 7.5 for 3,5-DCP for both 24 and 48 h, and for KCl, 3.9 and 6.6 for 24 and 48 h, respectively. Thus the 24-h EC50 for KCl had the narrowest range. On the other hand, the KCl 48-h EC50 value had the lowest standard deviation with 0.492 (implying there were only a few extreme values).

In determining an appropriate EC50 range for 3,5-DCP and/or KCl for the acute chironomid test it should be borne in mind that for *Daphnia magna* the 24-h EC50 for K₂Cr₂O₇ is used to test the sensitivity of the animals periodically. The validity range for K₂Cr₂O₇ according to the TG 202 is 0.6 to 2.1 mg/L.

In any case, based on the obtained data in the ring test an EC50 range can be derived and proposed for one or both of the reference compounds for either 24 or 48 h.

Appendix - raw data

1. Studies on potassium-chloride (KCl)

Laboratory 1

number of immobile animals

treatment	24 h replicate *			
	A	B	C	D
water control	0	0	0	0
0.43 g /L	0	0	0	0
0.94 g /L	0	1	0	0
2.07 g /L	6	4	7	8
4.55 g /L	8	9	8	8
10.0 g /L	10	10	10	10

* deviating from all other laboratories 10 larvae were inserted per replicate

number of immobile animals

treatment	48 h replicate *			
	A	B	C	D
water control	0	1	0	0
0.43 g /L	1	0	0	1
0.94 g /L	4	6	3	4
2.07 g /L	9	7	9	10
4.55 g /L	10	10	10	10
10.0 g /L	10	10	10	10

* deviating from all other laboratories 10 larvae were inserted per replicate

Laboratory 2

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
0.1 g /L	0	0	0	0
0.22 g /L	0	0	0	0
0.46 g /L	2	2	2	0
1.0 g /L	0	1	1	2
2.2 g /L	1	1	1	2
4.6 g /L	2	2	2	2
10.0 g /L	2	3	1	2

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
0.1 g /L	0	0	0	0
0.22 g /L	0	0	0	0
0.46 g /L	2	2	2	0
1.0 g /L	0	1	1	2
2.2 g /L	1	1	1	2
4.6 g /L	2	2	2	2
10.0 g /L	5	4	3	3

Laboratory 3

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	1	0	0	0
0.313 g /L	0	0	0	1
0.625 g /L	0	0	0	0
1.25 g /L	0	1	0	0
2.5 g /L	0	1	3	1
5.0 g /L	4	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	1	0	0	1
0.313 g /L	0	1	0	1
0.625 g /L	3	0	1	2
1.25 g /L	3	3	3	3
2.5 g /L	5	3	5	5
5.0 g /L	5	5	5	5

Laboratory 4

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
0.26 g/L	0	0	1	0
0.56 g/L	0	1	2	1
1.24 g/L	1	1	1	0
2.73 g/L	1	1	0	0
6.0 g/L	3	4	3	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
0.26 g/L	0	0	1	2
0.56 g/L	1	1	2	1
1.24 g/L	2	1	2	1
2.73 g/L	2	3	2	1
6.0 g/L	4	5	4	5

Laboratory 5

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
Control	0	0	0	0
0.21 g/L	0	0	0	1
0.47 g/L	0	1	0	2
1.03 g/L	0	0	0	1
2.27 g/L	4	3	5	2
5.0 g/L	5	5	5	5

treatment	number of immobile animals			
	48 h			
	A	B	C	D
Control	0	0	0	0
0.21 g/L	0	0	1	0
0.47 g/L	0	1	1	2
1.03 g/L	1	3	2	3
2.27 g/L	5	5	5	5
5.0 g/L	5	5	5	5

Laboratory 6

treatment	number of immobile animals			
	24 h			
	A	B	C	D
water control	0	0	0	0
0.14 g/L	0	0	0	0
0.31 g/L	0	0	0	0
0.68 g/L	0	0	0	0
1.5 g/L	0	0	0	0
3.3 g/L	4	4	5	5
7.3 g/L	5	5	5	5

treatment	number of immobile animals			
	48 h			
	A	B	C	D
water control	0	0	0	0
0.14 g/L	0	1	0	1
0.31 g/L	0	1	1	0
0.68 g/L	2	1	1	0
1.5 g/L	4	3	3	5
3.3 g/L	5	5	5	5
7.3 g/L	5	5	5	5

Laboratory 7-1

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
0.878 g/L	0	0	0	0
1.317 g/L	0	0	0	0
1.975 g/L	0	1	0	0
2.963 g/L	1	1	2	0
4.444 g/L	5	0	0	3
6.667 g/L	5	5	5	5
10 g/L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
0.878 g/L	0	1	2	0
1.317 g/L	2	2	1	2
1.975 g/L	3	5	3	4
2.963 g/L	5	5	5	5
4.444 g/L	5	5	5	5
6.667 g/L	5	5	5	5
10 g/L	5	5	5	5

Laboratory 7-2

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	1	0	1	1
0.527 g/L	1	0	0	0
0.790 g/L	0	1	0	0
1.185 g/L	1	0	0	1
1.778 g/L	1	0	0	1
2.667 g/L	2	0	0	3
4.0 g/L	3	2	4	2
6.0 g/L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	1	0	1	1
0.527 g/L	1	0	1	1
0.790 g/L	1	1	1	0
1.185 g/L	2	2	0	3
1.778 g/L	5	4	3	4
2.667 g/L	5	5	5	5
4.0 g/L	5	5	5	5
6.0 g/L	5	5	5	5

Laboratory 7-3

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
0.56 g/L	0	0	0	0
0.78 g/L	0	1	0	0
1.09 g/L	0	1	1	1
1.53 g/L	1	2	0	0
2.14 g/L	1	1	2	0
3.00 g/L	4	3	5	3

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	1
0.56 g/L	2	2	2	1
0.78 g/L	3	1	1	3
1.09 g/L	0	1	3	1
1.53 g/L	3	4	1	1
2.14 g/L	2	4	5	3
3.00 g/L	5	5	5	5

Laboratory 8

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
0.38 g/L	0	0	0	0
0.75 g/L	0	1	0	0
1.5 g/L	0	0	0	0
3 g/L	0	0	0	0
6 g/L	4	1	4	4

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
0.38 g/L	0	0	0	0
0.75 g/L	0	0	0	0
1.5 g/L	2	3	4	1
3 g/L	4	4	4	2
6 g/L	5	5	5	5

Laboratory 9

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
0.25 g/L	0	0	0	0
0.5 g/L	0	0	0	0
1 g/L	0	0	0	0
2 g/L	1	2	1	0
4 g/L	3	5	4	4

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
0.25 g/L	0	0	0	0
0.5 g/L	0	0	1	0
1 g/L	1	0	0	1
2 g/L	1	2	1	1
4 g/L	4	5	5	5

Laboratory 10

number of immobile animals (loading 5 per vessel)

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0 (1)
0.22 g/L	0	0	0	0
0.46 g/L	0	0 (1)	1	0
1.0 g/L	0 (1)	1	1	2
2.2 g/L	0	1	2	2
4.6 g/L	3 (2)	3 (2)	4 (1)	4
10 g/L	5	4 (1)	5	5

(): Between brackets the number of missing larvae; added to immobile larvae for evaluation.

number of immobile animals (loading 5 per vessel)

treatment	48 h			
	replicate			
	A	B	C	D
water control	0	0	0	0
0.22 g/L	0	0	0	0
0.46 g/L	0	0	1	1
1.0 g/L	1	0	0	1
2.2 g/L	0	3	3 (1)	2
4.6 g/L	5	5	5	5
10 g/L	4 (1)	5	5	5

(): Between brackets the number of missing larvae; added to immobile larvae for evaluation.

Laboratory 11

number of immobile animals

treatment	24 h			
	replicate			
	A	B	C	D
water control	0	0	0	0
0.16 g/L	0	0	0	0
0.31 g/L	0	1	0	1
0.63 g/L	0	0	0	0
1.25 g/L	4	1	1	0
2.50 g/L	4	5	2	4
5.00 g/L	5	5	5	5

number of immobile animals

treatment	48 h			
	replicate			
	A	B	C	D
water control	0	0	0	0
0.16 g/L	3	2	1	2
0.31 g/L	3	4	2	3
0.63 g/L	4	1	2	0
1.25 g/L	5	2	5	4
2.50 g/L	5	5	5	5
5.00 g/L	5	5	5	5

Laboratory 12

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	1
0.4 g/L	0	0	0	0
0.8 g/L	0	0	0	1
1.6 g/L	1	2	0	0
3.2 g/L	2	2	1	0
6.4 g/L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	1
0.4 g/L	2	0	0	2
0.8 g/L	0	0	0	1
1.6 g/L	2	3	1	2
3.2 g/L	5	5	5	4
6.4 g/L	5	5	5	5

Laboratory 13

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	1	0	1	0
0.25 g/L	0	1	0	0
0.5 g/L	1	0	1	0
1 g/L	0	0	1	0
2 g/L	3	1	2	1
4 g/L	5	1	3	4

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	1	0	1	0
0.25 g/L	0	2	0	1
0.5 g/L	2	1	1	0
1 g/L	1	2	2	1
2 g/L	3	3	3	3
4 g/L	5	5	5	5

Laboratory 14

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
0.5 g/L	0	0	0	0
1 g/L	0	0	0	0
2 g/L	3	2	2	3
4 g/L	5	5	5	5
8 g/L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
0.5 g/L	0	0	0	0
1 g/L	0	1	0	0
2 g/L	5	5	5	5
4 g/L	5	5	5	5
8 g/L	5	5	5	5

2. Studies on 3,5-Dichlorophenol (3,5-DCP)

Laboratory 1

treatment	number of immobile animals			
	24 h			
	replicate *			
	A	B	C	D
water control	0	0	0	0
solvent control	0	1	0	0
0.43 mg /L	1	0	0	0
0.94 mg /L	1	1	1	0
2.07 mg /L	0	0	1	1
4.55 mg /L	6	9	6	8
10.0 mg /L	10	10	10	10

* deviating from all other laboratories 10 larvae were inserted per replicate

treatment	number of immobile animals			
	48 h			
	replicate *			
	A	B	C	D
water control	1	0	0	0
solvent control	0	1	0	0
0.43 mg /L	1	0	1	0
0.94 mg /L	1	2	2	4
2.07 mg /L	8	6	6	5
4.55 mg /L	10	10	9	9
10.0 mg /L	10	10	10	10

* deviating from all other laboratories 10 larvae were inserted per replicate

Laboratory 2

treatment	number of immobile animals			
	24 h			
	replicate			
	A	B	C	D
water control	0	0	0	0
0.10 mg /L	0	0	0	0
0.22 mg /L	0	0	0	0
0.46 mg /L	0	0	0	0
1.0 mg /L	0	0	0	0
2.2 mg /L	0	1	0	0
4.6 mg /L	5	2	2	4
10 mg /L	4	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
0.10 mg /L	0	0	0	0
0.22 mg /L	0	0	0	0
0.46 mg /L	0	0	2	1
1.0 mg /L	1	0	1	1
2.2 mg /L	2	3	3	4
4.6 mg /L	5	4	4	5
10 mg /L	5	5	5	5

Laboratory 3

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control*	-	-	-	-
0.32 mg /L	1	0	0	0
0.63 mg /L	0	0	0	0
1.25 mg /L	0	0	0	1
2.5 mg /L	2	2	1	0
5 mg /L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	1	1
solvent control*	-	-	-	-
0.32 mg /L	1	0	0	1
0.63 mg /L	0	0	1	1
1.25 mg /L	0	1	1	1
2.5 mg /L	5	5	5	5
5 mg /L	5	5	5	5

Laboratory 4-1

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	-	-	-	-
0.26 mg /L	1	2	0	2
0.56 mg /L	4	3	3	2
1.24 mg /L	4	5	5	3
2.73 mg /L	5	5	4	4
6.0 mg /L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	-	-	-	-
0.26 mg /L	2	2	1	2
0.56 mg /L	4	4	3	3
1.24 mg /L	4	5	5	4
2.73 mg /L	5	5	5	4
6.0 mg /L	5	5	5	5

Laboratory 4-2

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	-	-	-	-
0.26 mg /L	0	1	0	2
0.56 mg /L	1	3	3	2
1.24 mg /L	3	2	3	3
2.73 mg /L	4	3	5	5
6.0 mg /L	4	4	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	1	0	1	0
solvent control	-	-	-	-
0.26 mg /L	1	2	2	2
0.56 mg /L	2	4	4	2
1.24 mg /L	4	4	3	4
2.73 mg /L	5	4	5	5
6.0 mg /L	5	5	5	5

Laboratory 5

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
Control	1	0	0	0
0.34 mg /L	0	0	0	0
0.75 mg /L	0	5	0	0
1.65 mg /L	3	0	4	2
3.64 mg /L	4	5	2	2
8.0 mg /L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
Control	1	0	0	0
0.34 mg /L	0	1	1	1
0.75 mg /L	4	5	3	3
1.65 mg /L	5	3	5	5
3.64 mg /L	5	5	5	5
8.0 mg /L	5	5	5	5

Laboratory 6

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
0.19 mg/L	2	0	0	0
0.41 mg/L	0	1	0	0
0.91 mg/L	0	0	1	1
2.0 mg/L	0	1	1	0
4.4 mg/L	5	5	4	5
9.7 mg/L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
0.19 mg/L	2	1	0	1
0.41 mg/L	0	2	0	1
0.91 mg/L	1	1	2	1
2.0 mg/L	4	3	4	5
4.4 mg/L	5	5	5	5
9.7 mg/L	5	5	5	5

Laboratory 7

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
0.36 mg/L	0	0	0	0
0.56 mg/L	0	0	0	0
0.87 mg/L	0	0	0	0
1.34 mg/L	0	1	0	0
2.1 mg/L	2	1	1	2
3.2 mg/L	5	5	3	5
5 mg/L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	1	1
0.36 mg/L	1	1	1	1
0.56 mg/L	0	0	0	0
0.87 mg/L	0	1	1	2
1.34 mg/L	0	2	0	0
2.1 mg/L	3	2	3	4
3.2 mg/L	5	5	5	5
5 mg/L	5	5	5	5

Laboratory 8

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
acetone control	0	0	0	0
0.5 mg/L	0	1	0	0
1 mg/L	0	0	1	1
2 mg/L	0	0	0	0
4 mg/L	0	0	0	0
8 mg/L	5	5	5	4

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
acetone control	1	0	0	0
0.5 mg/L	1	2	0	1
1 mg/L	1	1	1	1
2 mg/L	0	2	0	0
4 mg/L	2	2	0	2
8 mg/L	5	5	5	4

Laboratory 9

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	-	-	-	-
0.25 mg/L	0	0	0	0
0.5 mg/L	0	0	0	0
1 mg/L	0	0	1	0
2 mg/L	1	1	2	3
4 mg/L	5	4	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	-	-	-	-
0.25 mg/L	0	0	0	0
0.5 mg/L	0	0	0	0
1 mg/L	0	0	1	0
2 mg/L	5	2	2	3
4 mg/L	5	5	5	5

Laboratory 10

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	1	0 (1)	0
solvent control	-	-	-	-
0.46 mg/l	1	0	0	0
1.0 mg/l	1 (1)	0 (1)	0	0
2.2 mg/l	0	1	0	0
4.6 mg/l	2	2 (1)	1 (2)	3 (2)
10 mg/l	5	4 (1)	5	5

(): Between brackets the number of missing larvae; added to immobile larvae for evaluation.

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	1	0 (1)	0
solvent control				
0.46 mg/l	1	1	0	0
1.0 mg/l	1	1	0	0
2.2 mg/l	1	1	0	0
4.6 mg/l	5	4 (1)	4 (1)	5
10 mg/l	5	4 (1)	5	5

(): Between brackets the number of missing larvae; added to immobile larvae for evaluation.

Laboratory 11

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	0	0	0	0
0.16 mg/L	0	0	3	4
0.31 mg/L	2	0	0	0
0.63 mg/L	0	0	0	0
1.25 mg/L	0	1	1	1
2.50 mg/L	3	5	4	4
5.00 mg/L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	0	0	0	0
0.16 mg/L	0	0	5	5
0.31 mg/L	2	0	0	0
0.63 mg/L	0	0	0	0
1.25 mg/L	1	1	0	3
2.50 mg/L	5	5	5	5
5.00 mg/L	5	5	5	5

Laboratory 12

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	0	0	0	0
0.5 mg/L	0	0	0	0
1 mg/L	0	0	0	1
2 mg/L	1	0	2	1
4 mg/L	5	5	5	5
8 mg/L	5	5	5	5

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	4	1	5	3
solvent control	3	4	3	3
0.5 mg/L	0	2	3	1
1 mg/L	1	0	2	2
2 mg/L	3	4	4	5
4 mg/L	5	5	5	5
8 mg/L	5	5	5	5

Laboratory 14

number of immobile animals

treatment	24 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	-	-	-	-
0.3 mg/L	0	0	0	0
0.6 mg/L	0	0	0	0
1.2 mg/L	0	1	0	0
2.4 mg/L	1	1	0	0
4.8 mg/L	4	5	3	3

number of immobile animals

treatment	48 h replicate			
	A	B	C	D
water control	0	0	0	0
solvent control	-	-	-	-
0.3 mg/L	0	0	0	0
0.6 mg/L	0	1	0	0
1.2 mg/L	0	1	0	1
2.4 mg/L	1	2	3	2
4.8 mg/L	5	5	5	5